


Specifications

SMART Slate™ wireless slate

Model WS200

Physical specifications

Size	10 3/8" W × 8 1/2" H × 1" D (26.4 cm × 21.6 cm × 2.6 cm)
Active Area	6 3/4" W × 4 1/4" H (17.3 cm × 10.8 cm)
Weight	1 lb. 4 oz (0.6 kg)
Shipping Size	10 6/8" W × 13" H × 3 2/8" D (27.2 cm × 33.1 cm × 8.2 cm)
Shipping Weight	2 lb. 6 oz (1.1 kg)



All dimensions +/- 1/8" (0.3 cm). All weights +/- 2 lb (0.9 kg).

Standard features

Software	Includes SMART Product Drivers. Updates are available from smarttech.com/downloads .
Operating system requirements	Windows® operating systems and Mac OS X operating system software. See the documentation on the SMART Support web site's SMART Notebook collaborative learning software page for a complete list of system requirements.
Communication interface	Bluetooth® wireless technology 2.1 with EDR (Enhanced Data Rate)

NOTE

SMART Slate™ wireless slates manufactured before December 2009 are compatible with Windows operating systems only.

Electro-magnetic resonance technology	Enables you to rest your hand and write naturally on the workspace without interfering with the digital ink.
Maximum report rate	133 points per second
Coordinate resolution	+/- 0.5 mm with +/- 2 mm in the corners of the workspace
Bluetooth wireless adapter	Class 2 adapter connects wirelessly with a range of 32' (10 m).
Underlay and icon strip	You can select from many common tools. The default tools are the pointer, eraser, four colors of digital ink, right-click, keyboard, screen capture and control panel. You can customize the icon strip to include the tools you use the most.
Anti-slip feet	Four anti-slip feet keep the wireless slate stable on flat surfaces.
Buttons	Three customizable buttons. The default button settings are Previous Page, start SMART Notebook and Next Page.
Pen	Battery-free pen. The wireless slate detects the pen from a distance of 4.5 mm. Pen accuracy is 0.5 mm.
Power requirements	5V DC, USB. Draws 500 mA while charging.
Cables	USB charging cable
Battery	Rechargeable lithium ion battery provides at least 24 hours of continuous use per charge. 6.5 hours for a full recharge. 3.7V, 1800 mA
Environmental compliance	RoHS (Europe), EU WEEE
Regulatory certifications	FCC, CE, C-Tick, CB, IC
Warranty	Two-year limited warranty
Range	32' (10 m)
Data transfer rate	133 points per second

Storage and operating specifications


Storage	-4°F–140°F (-20°C–60°C) with 30%–90% humidity, non-condensing
Operating	41°F–104°F (5°C–40°C) with 30%–80% humidity, non-condensing

Order numbers


WS200-1	SMART Slate WS200 and Bluetooth USB wireless adapter
BTWS200	Bluetooth USB wireless adapter

Physical dimensions

Front view



Side view (left)



smarttech.com/support
smarttech.com/contactsupport