



## SMART Board™ interactive display frame

### Glass-free design

The interactive display frame has a lightweight, glass-free design that maintains maximum image clarity and allows you to interact with digital files quickly.

Combine easy-to-use interactivity with brilliant visuals by transforming your flat-panel display with a SMART Board interactive display frame. The interactive display frame easily attaches to a variety of commercial plasma displays or select hard-screen LCD panels, turning it into an interactive touch screen. You can work with digital files and applications, create digital meeting notes and deliver professional presentations.

### Flat-panel display advantages

Take advantage of the collaboration possibilities that flat-panel technology offers. Experience the benefits of HD-ready visuals, a widescreen format, a shadow-free screen, a wide viewing angle, a long life and no consumables, such as projector bulbs or filters.

### Go glass free

Say goodbye to glass and hello to hands-on interactivity. The interactive display frame has a lightweight design that maintains maximum image clarity. And with no glass layer overtop of the surface of your screen, you can interact with digital files quickly, with fast and precise user control.

### Intuitive to use

Your finger works as the mouse, and the pencil tool works like a real pencil. The interactive display frame allows you to switch between ink, touch and eraser modes without having to press buttons or replace tools on the pencil ledge. The interactive display frame will also recognize touch gestures, which enable you to click, scroll or switch pages simply by tapping or dragging your fingers on the surface.

### Virtual collaboration

Connect. Communicate. Collaborate – and do it virtually. The interactive display frame easily integrates with SMART Meeting Pro™ software, SMART Hub SE and SMART Hub VE to enable face-to-face or virtual teamwork, collaboration, presenting and meeting.



### Supported panels

The interactive display frame supports a variety of plasma displays and select hard-screen LCD panels, ranging from 42" to 65" (106.68 cm to 165.1 cm). You can find a list of supported models at [smarttech.com/supportedpanels](http://smarttech.com/supportedpanels).

### Added footprint to panel

The SMART Board interactive display frame adds 7/8" (2.2 cm) to the width, 2" (5.2 cm) to the height and approximately 3 7/8" (9.8 cm) to the depth of your flat-panel display.

### Key features

#### Touch system

Write and erase digital ink with the pencil, and perform mouse functions with your finger.

#### Touch gestures

Navigate through applications using your fingers to perform common touch gestures, such as scaling, scrolling, transitioning between pages, right click, rotate and erase. Enabled by DVIT™ (Digital Vision Touch) technology, touch gestures are supported in SMART Meeting Pro software and all Windows® 7 applications.

#### Glass-free frame

The lightweight glass-free frame is easy to install and lets you touch the display surface directly with precise user control. With no glass layer, the high-resolution image quality of the flat-panel display is preserved.

#### Space-saving system

With a small footprint, the interactive display frame is ideal for meeting rooms where space is limited.

#### Flat-panel display technology

Take advantage of a widescreen format, a wide viewing angle and a shadow-free display.

### Low total cost of ownership

Flat-panel displays provide a long life and no consumables, such as bulbs or filters.

### Pencil tool

Write with one end of the pencil and erase with the other.

### Warranty

Get a two-year warranty on the SMART Board interactive display frame. Register your interactive display frame to receive notices about new product features and software upgrades.

### Floor stand

Add mobility to your SMART Board interactive display frame with a SMART Mobile Stand. For more information about the floor stand, visit [smarttech.com/idmobilestand](http://smarttech.com/idmobilestand)

### Shipping size

57 1/2" W x 9 5/8" H x 8 1/4" D  
(146.0 cm x 24.4 cm x 21.0 cm)

### Minimum size after installation

57 1/2" W x 35 5/8" H x 6 5/8" D  
(146.0 cm x 90.3 cm x 16.7 cm)

### Maximum size after installation

59 3/8" W x 37 7/8" H x 6 5/8" D  
(150.8 cm x 96.0 cm x 16.7 cm)

### Shipping weight

20 lb. (9.1 kg)

### Weight

9-11 lb. (4-5 kg) \*Based on size of interactive display frame

### System Requirements

#### Microsoft® Windows operating systems

Compatible with Windows 7, XP SP2 or Windows Vista®  
• Pentium® II 450 MHz processor • 256 MB of RAM

#### Mac OS operating systems

Compatible with Mac OS X version 10.4.x or later  
• 700 MHz processor (1 GHz or faster recommended)  
• PowerPC® G3, G4 or G5 processors • 256 MB of RAM

## Authorized Reseller:

## SMART Technologies

Toll Free 1.866.518.6791 (U.S./Canada)

or +1.403.228.5940

[smarttech.com/corp](http://smarttech.com/corp)